

**Product Datasheet model super fit ETC 9178 415**

**UVEX ARBEITSSCHUTZ GMBH,  
Würzburger Str. 181-189, D-90766 Fürth**

**Product  
characteristics**

- lightweight safety spectacles with hinged side arms, a sporty design and uvex x-stream technology
- maximum optical clarity thanks to extremely thin wrap-around lenses
- aerodynamically optimised lenses that are angled forwards to provide optimum ventilation and comfort around the eyes
- excellent wearer comfort guaranteed by the lightweight design
- ETC: permanent anti-fog coating on both sides – eliminating risk of fogging

## Technical details

### Frame

Material  
Colour

### Front piece

PA  
white

Material  
Colour

### Temple

PA/TPE  
  
white/grey

Manufacturer's ID code  
Applicable EN norm  
Impact resistance  
Resistance to high  
speed particles at  
extremes of temperat  
Conformity symbol

### Marking

W  
166  
F (45 m/s)  
T  
  
CE

<b>Lens</b>	
Material	PC
Thickness	1,5 mm
Coating	ETC on both sides
Colour	clear
	<b>Marking</b>
Filter	2C-1,2 (DIN EN 170)
Manufacturer's ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperat.	T
Antifog	N
Conformity symbol	CE
<b>Miscellaneous</b>	
Weight	21 g
Packing	5 spectacles per box 200 spectacles per cardboard box
Standards	DIN EN 166 + DIN EN 170