



### FIRE FIGHTING GLOVES

Article No.: HG-2133

Heat Resistant Gloves made of Water Repellent Cowhide Split Leather, has Aqrotex® lining which provides powerful barrier against water as well as tremendous resistance to abrasion, blade cut, tearing and puncture.



- Abrasion Resistant
- Cut Resistant
- Tear Resistant
- Puncture Resistant
- Heat Resistant
- Breathable





### SPECIFICATIONS

- Certified to EN 388, EN 407, EN 659 & CE 0159 CAT III
- 50% Kevlar® + 50% Fiberglass fibre lining
- Waterproof cowhide leather 1.1 mm - 1.2 mm
- Reinforced goat suede palm patch leather 0.7mm-0.8 mm
- High heat rubber with modacrylic under the knuckle
- Silver FR reflector lining with Kevlar® coated Litex®
- Double layer Aqrotex® membrane for breathable moisture barrier
- Kevlar® thread stitching
- Net weight: 170 grams / glove
- Size: 16" (40cm)
- Color: Black & Yellow
- Packing: 1 pair/poly, 24 pairs/carton
- Origin: Pakistan

### APPLICATIONS

- Fire fighting



Reinforced back hand with silver FR lining



Leather vein patch



Reinforced palm & wing thumb

### STANDARDS

CAT III	EN 420	EN 388
EN 659	EN 407	4544
		4342XX

### PERFORMANCE

Abrasion Resistance	0 1 2 3 4
Cut Resistance	0 1 2 3 4 5
Tear Resistance	0 1 2 3 4
Puncture Resistance	0 1 2 3 4
Burning Behaviour	4
Contact Heat	3
Convective Heat	4
Radiant Heat	2
Small Splashes on Molten Metal	X
Large Wuantities on Molten Metal	X



This Article Data Sheet (ADS) is designed and produced by FLOWTRONIX (FT) covered under the intellectual property law. Any reproduction in whole or in part is strictly prohibited without written approval. FT HG 5025-3.2

Doc. Control:	Rev.:	Date:
	3.2	March 22, 2016



A PRODUCT OF

